

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PR 0148 MS050013E/A  
PR 0148 P 6140-1  
PR 0148 STD 174138/1  
PR 0148 TESTE AMS3100/1A  
PR 0148 AF 75-T-2-5207-1-1  
PR 0148 AF ASNB71110-01/B  
PR 0810 LAC 40-776  
PR 0810 STM 40-406A  
PR 0810 TH 5.948/12  
PR 0812 MIL-S-38249 TYPE I  
PR 0812 TH 5.948/2/12  
PR 1005 L 1.7.0.52.A  
PR 1005 L CDCR 22LF51-A  
PR 1005 L LAC C-40- 781A TYPE I  
PR 1005 L MIL-S- 4383C  
PR 1005 L TH 5.942/12  
PR 1196 AIMS 04-04-008/1  
PR 1196 BMS 5-81G TYPE II CL 1  
PR 1196 TH 5.958/1/3  
PR 1231 B 3/4 SM 79087  
PR 1405 G MS-195A  
PR 1422 A 1/2 NA AIMS04-05-001/IPS04-05-  
PR 1422 A 1/2 NA AIMS04-05-002/IPS04-05-  
PR 1422 A 1/2 NA AIT65315TYPE I CLASS A1/2  
PR 1422 A 1/2 NA 1.7.0.62.C-1/2  
PR 1422 A 1/2 NA ASNA4163/C - A1/2  
PR 1422 A 1/2 NA BLGE552401-A  
PR 1422 A 1/2 NA LAC C-40- 778C TYPE II  
PR 1422 A 1/2 NA LCM 40-1218 TYPE II  
PR 1422 A 1/2 NA TESTMIL-S-8802F/2 TI A1/2  
PR 1422 A 1/2 NA TH 5.940/17-A1/2  
PR 1422 A 1/2 NA WL 5.5901.1/12.88  
PR 1422 A 2 NA AIMS04-05-001/IPS04-05-  
PR 1422 A 2 NA AIMS04-05-002/IPS04-05-  
PR 1422 A 2 NA 1.7.0.62.C-2  
PR 1422 A 2 NA AIT65315 TYPE I CLASS A 2  
PR 1422 A 2 NA ASNA4163/C - A2  
PR 1422 A 2 NA BLGE552501-A  
PR 1422 A 2 NA LAC C-40- 775B TYPE II  
PR 1422 A 2 NA LCM 40-2180C TYPE II  
PR 1422 A 2 NA TH 5.940/17-A2  
PR 1422 A 2 NA WL 5.5901.2/12.88  
PR 1422 A 2 NA TESTE MIL-S-8802F/2 TI A2  
PR 1422 A 4 NA TH 5.940/17-A4  
PR 1422 A I NA TH 5.940/17-A1  
PR 1422 B 1 NA TH 5.940/1/17-B1  
PR 1422 B 1/2 NA AIMS04-05-001/IPS04-05-  
PR 1422 B 1/2 NA AIMS04-05-002/IPS04-05-  
PR 1422 B 1/2 NA 1.7.0.63.B-1/2  
PR 1422 B 1/2 NA AIT65315TYPE I CLASS B1/2  
PR 1422 B 1/2 NA ASNA4163/C - B1/2  
PR 1422 B 1/2 NA BLGE553201-A  
PR 1422 B 1/2 NA BMS 5-26U TYPE I CL B1/2  
PR 1422 B 1/2 NA LAC C-40- 778C TYPE I  
PR 1422 B 1/2 NA LCM 40-1218 TYPE I  
PR 1422 B 1/2 NA TESTMIL-S-8802F/2 TI B1/2  
PR 1422 B 1/2 NA TH 5.940/1/17-B1/2  
PR 1422 B 1/2 NA WL 5.5902./12.88  
Product to Specification Guide 1

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PR 1422 B 2 NA AIMS04-05-001/IPS04-05-  
PR 1422 B 2 NA AIMS04-05-002/IPS04-05-  
PR 1422 B 2 NA 1.7.0.63.B-2  
PR 1422 B 2 NA AIT65315 TYPE I CLASS B2  
PR 1422 B 2 NA ASNA4163/C - B2  
PR 1422 B 2 NA BLGE553301-A  
PR 1422 B 2 NA LAC C-40- 775B TYPE I  
PR 1422 B 2 NA LCM 40-2180C TYPE I  
PR 1422 B 2 NA SM 79071  
PR 1422 B 2 NA WL 5.5902.2/12.88  
PR 1422 B 2 NA TESTE MIL-S-8802F/2 TI B2  
PR 1422 B 2 NA TH 5.940/1/17-B2  
PR 1422 B 4 NA AIMS04-05-001/IPS04-05-  
PR 1422 B 4 NA AIMS04-05-002/IPS04-05-  
PR 1422 B 4 NA ASNA4163/C - B4  
PR 1422 B 4 NA TH 5.940/1/17-B4  
PR 1422 B 4 NA WL 5.5902.3/12.88  
PR 1422 S LAC C-40- 775B TYPE III  
PR 1422 S LCM 40-2180C TYPE III  
PR 1422 S L TH 5.940/5/17  
PR 1425 B 1/2 NA MEP 09-037/A CL B1/2  
PR 1425 B 2 NA MEP 09-037/A CL B2  
PR 1426 TH 5.955/1/2  
PR 1428 A 1/2 MIL-S-8784B CLASSE A 1/2  
PR 1428 A 2 MIL-S-8784B CLASSE A 2  
PR 1428 B 1/2 MIL-S-8784B CLASSE B1/2  
PR 1428 B 2 BMS 5-37D  
PR 1428 B 2 MIL-S-8784B CLASSE B2  
PR 1432 G P 1.7.0.66.B  
PR 1432 G P AIT65316 TYPE IV  
PR 1432 G P BMS 5-95K F1 TYPE I  
PR 1435 LAC C-40- 778C TYPE III  
PR 1435 TH 5.955/2/2  
PR 1436 B 2 75-T-2-5204-1-1/3/03.94  
PR 1436 G A 1/2NA 1.7.0.67.B-1/2  
PR 1436 G A 1/2NA AIT65316 TYPE I-1/2  
PR 1436 G A 1/2NA ASNA4165/D - A1/2  
PR 1436 G A 1/2NA TH 5.951/1/11-A1/2  
PR 1436 G A 1/2NA WL 5.5961.1/12.88  
PR 1436 G A 2 NA 1.7.0.67.B-2  
PR 1436 G A 2 NA AIT65316 TYPE I-2  
PR 1436 G A 2 NA ASNA4165/D - A2  
PR 1436 G A 2 NA TH 5.951/1/11-A2  
PR 1436 G A 2 NA WL 5.5961.2/12.88  
PR 1436 G B 1/2NA 1.7.0.68.B-1/2  
PR 1436 G B 1/2NA AIT65316 TYPE II-1/2  
PR 1436 G B 1/2NA ASNA4165/D - B1/2  
PR 1436 G B 1/2NA TH 5.951/2/11-B1/2  
PR 1436 G B 1/2NA WL 5.5962.1/04.93  
PR 1436 G B 2 NA 1.7.0.68.B-2  
PR 1436 G B 2 NA AIT65316 TYPE II-2  
PR 1436 G B 2 NA ASNA4165/D - B2  
PR 1436 G B 2 NA LAC C-40-1279  
PR 1436 G B 2 NA MIL-S-81733C TYPE II-2  
PR 1436 G B 2 NA TH 5.951/2/11-B2  
PR 1436 G B 2 NA WL 5.5962.2/04.93  
PR 1436 G S 1.7.0.69.B

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PR 1436 G S AIT65316 TYPE III  
PR 1436 G S ASNA4156/D - S  
PR 1436 G S MIL-S-81733C TYPE III-1  
PR 1436 G S TH 5.951/3/11  
PR 1436 G S / N IPSMIL81733-01  
PR 1440 A 1/2 199-05-004/95 TYII CLA1/2  
PR 1440 A 1/2 TESTE AMS-S-8802 CL A1/2  
PR 1440 A 2 TESTE AMS-S-8802 CL A2  
PR 1440 A 2 BMS BMS 5-26U TYII CL A2 GR1  
PR 1440 A I TESTE AMS-S-8802 CLA1  
PR 1440 B 1/2 199-05-004/95 TYII CLB1/2  
PR 1440 B 1/2 FMS 1049D FORM II CL B1/2  
PR 1440 B 1/2 TEST FMS 1049D FORM III  
PR 1440 B 1/2 TESTE AMS-S-8802 CL B1/2  
PR 1440 B 2 199-05-004 TYPE II CL B2  
PR 1440 B 2 299-947-107, TY III, CL 7  
PR 1440 B 2 TESTE AMS-S-8802 CL B2  
PR 1440 B 4 199-05-004 TYPE II CL B4  
PR 1440 B 4 TESTE AMS-S-8802 CL B4  
PR 1440 B I FMS 1049D FORME II CL B1  
PR 1440 B I FMS 1049D FORME III CL B1  
PR 1440 B I TESTE AMS-S-8802 CL B1  
PR 1440 L S BMS 5-125D TYPE II  
PR 1445 B 4 STD 179114-02  
PR 1448 STM 40-106D CLASSE B 2  
PR 1448 B BMS 5-16C CLASSE D-4  
PR 1576 SP-J-513-M-0021/2 TYPE 1  
PR 1576 LVOC NI 5116 DB  
PR 1710 CDCR 22LF38-A  
PR 1710 CM 024  
PR 1720 B CM 025  
PR 1720 F CM 023  
PR 1720 F WL 5.5913/10.90  
PR 1720 R CM 021  
PR 1720 R WL 5.5911/10.90  
PR 1720 S M CM 022  
PR 1720 S M WL 5.5912/10.90  
PR 1732 WL 5.5950.0/10.90  
PR 1733 WL 5.5950.1/10.90  
PR 1750 A 1 MMS-332/C CLASSE A1  
PR 1750 A 1/2 1.7.0.32.D-1/2  
PR 1750 A 1/2 I.G.C.04.36.144 -A1/2  
PR 1750 A 1/2 MIL-S-83430A CLASSE A1/2  
PR 1750 A 1/2 MMS-332/C CLASSE A 1/2  
PR 1750 A 1/2 MS-21.5022 CL A 1/2  
PR 1750 A 1/2 TESTE AMS3276C CL A 1/2  
PR 1750 A 1/2 WL 5.5904.1/12.88  
PR 1750 A 12 1.7.0.32.D-12  
PR 1750 A 12 FMS 1044E TYPE V-A12  
PR 1750 A 2 1.7.0.32.D-2  
PR 1750 A 2 I.G.C.04.36.144 -A2  
PR 1750 A 2 MIL-S-83430A CLASSE A2  
PR 1750 A 2 MMS-332/C CLASSE A2  
PR 1750 A 2 MS-21.5022A CL A2  
PR 1750 A 2 TESTE AMS3276C CL A 2  
PR 1750 A 2 WL 5.5904.2/12.88  
PR 1750 A 2 FMS TEST FMS 1044G TYPE V-A2

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PR 1750 A 4 MMS-332/C CLASSE A 4  
PR 1750 A 4 MS-21.5022 CLA 4  
PR 1750 A 4 TESTE AMS3276C CL A 4  
PR 1750 A 4 TESTED ACCORDING TO  
PR 1750 A 6 1.7.0.32.D-6  
PR 1750 B 1 MMS-332/C CLASSE B1  
PR 1750 B 1/2 1.7.0.51.B-1/2  
PR 1750 B 1/2 I.G.C.04.36.145 -B1/2  
PR 1750 B 1/2 MIL-S-83430A CLASSE B1/2  
PR 1750 B 1/2 MMS-332/C CLASSE B 1/2  
PR 1750 B 1/2 MS-21.5022A CL B1/2  
PR 1750 B 1/2 TESTE AMS3276C CL B 1/2  
PR 1750 B 1/2 WL 5.5905.1/12.88  
PR 1750 B 1/2 FMS FMS 1044E TYPE V-B1/2  
PR 1750 B 12 MMS-332/C CLASSE B12  
PR 1750 B 2 1.7.0.51.B-2  
PR 1750 B 2 BLGE552101- A  
PR 1750 B 2 I.G.C.04.36.145 -B2  
PR 1750 B 2 MIL-S-83430A CLASSE B2  
PR 1750 B 2 MMS-332/C CLASSE B2  
PR 1750 B 2 MS-21.5022A CL B2  
PR 1750 B 2 TESTE AMS3276C CL B 2  
PR 1750 B 2 WL 5.5905.2/12.88  
PR 1750 B 2 FMS FMS 1044E TYPE V-B2  
PR 1750 B 4 1.7.0.51.B-4  
PR 1750 B 4 I.G.C.04.36.145 -B4  
PR 1750 B 4 MIL-S-83430A CLASSE B4  
PR 1750 B 4 MMS-332/C CLASSE B 4  
PR 1750 B 4 MS-21.5022 CL B 4  
PR 1750 B 4 TESTE SELON MS 21.5022  
PR 1750 B 4 WL 5.5905.4/12.88  
PR 1750 B 6 1.7.0.51.B-6  
PR 1750 B 6 I.G.C.04.36.145 -B6  
PR 1750 B 6 MIL-S-83430A CLASSE B6  
PR 1750 B 6 MMS-332/C CLASSE B6  
PR 1750 B 6 TESTE AMS3276C CL B 6  
PR 1750 B 6 FMS FMS 1044E TYPE V-B6  
PR 1750 C-2 WL 5.5906.1/12.88  
PR 1750 C-20 WL 5.5906.3/12.88  
PR 1750 C-6 WL 5.5906.2/12.88  
PR 1764 B 1 TESTE SELON AMS 3266  
PR 1764 B 2 STD 179124/2  
PR 1764 B 2 TH 5.953 /3/9  
PR 1765 1.7.0.82  
PR 1770 A 1/2 SP-J-513-M-0020/2 CLASS A  
PR 1770 A 2 SP-J-513-M-0020/2 CLASS A  
PR 1770 B 1/2 SP-J-513-M-0020/2 CLASS B  
PR 1770 B 2 SP-J-513-M-0020/2 CLASS B  
PR 1770 C 2 TESTE SP-J-513-M-0020/2  
PR 1770 C 6 TESTE SJ-513-M-0020/2  
PR 1770 C 8 SP-J-513-M-0020/2 CLASS C  
PR 1771 B 1/2 AIMS04-05-001/IPS04-05-  
PR 1771 B 1/2 AIMS04-05-004/IPS04-05-  
PR 1771 B 2 AIMS04-05-001/IPS04-05-  
PR 1771 B 2 AIMS04-05-004/IPS04-05-  
PR 1771 B 2 ASN71132-01  
PR 1771 B 4 AIMS04-05-001/IPS04-05-

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PR 1771 B 4 AIMS04-05-004/IPS04-05-  
PR 1773 A 2 AIMS04-05-006/IPS04-05-  
PR 1773 A 2 ASNA4168/A - A2  
PR 1773 A 2 TH 5.947/4/14-A2  
PR 1773 B 2 AIMS04-05-006/IPS04-05-  
PR 1773 B 2 ASNA4168/A - B2  
PR 1773 B 2 TH 5.947/4/14-B2  
PR 1776 A 1/2 AS AIMS 04-05-001/IPS 04-05-  
PR 1776 A 1/2 AS AIMS 04-05-002/IPS 04-05-  
PR 1776 A 1/2 AS ASNA4157/E-A1/2  
PR 1776 A 2 AS AIMS 04-05-001/IPS 04-05-  
PR 1776 A 2 AS AIMS 04-05-002/IPS 04-05-  
PR 1776 A 2 AS ASNA4157/E-A2  
PR 1776 B 1/2 AIMS04-05-001/IPS04-05-  
PR 1776 B 1/2 AIMS04-05-002/IPS04-05-  
PR 1776 B 1/2 ASNA4157/E-B1/2  
PR 1776 B 1/2 TESTE AMS3281/B CL B1/2  
PR 1776 B 2 AIMS04-05-001/IPS04-05-  
PR 1776 B 2 AIMS04-05-002/IPS04-05-  
PR 1776 B 2 ASNA4157/E-B2  
PR 1776 B 2 BMS 5-45/A CLASSE B-2  
PR 1776 B 2 TESTE AMS3281/B CL B 2  
PR 1776 B 4 AIMS04-05-001/IPS04-05-  
PR 1776 B 4 AIMS04-05-002/IPS04-05-  
PR 1776 B 4 ASNA4157/E-B4  
PR 1826 STD 179126/1-05  
PR 1826 A 1/2 MIL-S-29574 A1/2  
PR 1826 B 1/2 TESTE AMS3277ATYPE 1 B1/2  
PR 1826 B 2 TESTE AMS3277A TYPE 1 B 2  
PR 1826 B 2+PRIM MIL-S-29574 B2  
PR 1826 B 2+PRIM WL 5.5909.3/11.97  
PR 1826 B1/2+PRIM MIL-S-29574 B1/2  
PR 1826 B1/2+PRIM STD 179126/1-01  
PR 1826 B1/2+PRIM WL 5.5909.2/11.97  
PR 1826 B1/4+PRIM MIL-S-29574 B1/4  
PR 1826 B1/4+PRIM TESTE AMS3277ATYPE 1 B1/4  
PR 1826 B1/4+PRIM WL 5.5909.1/11.97  
PR 1827 R 1/6 75-T-2-5203-1-1/05.92  
PR 1828 B 1/4 TESTE AMS3277ATYPE 2 B1/4  
PR 1828 B 1/4 LO TESTE AMS3277ATYPE 2 B1/4  
PR 1828 B 2 TESTE AMS3277A TYPE 2 B 2  
PR 1828 B 2 LO TESTE AMS3277A TYPE 2 B 2  
PR 1910-2 593342325/1  
PR 1910-2 ASNA4180/B - 2  
PR 1910-2 LAC C-40- 969B TYPE I - A  
PR 1910-2 SMS 0901B  
PR 1910-2 TH 5.945/17-2  
PR 1910-4 593342326/7  
PR 1910-4 ASNA4180/B - 4  
PR 1910-4 TH 5.945/17-4  
PR 1930-1/2 I.C.U AQ 818/4  
PR 1930-1/2 LAC C-40- 968B CLASSE B  
PR 1930-2 I.C.U AQ 818/5  
PR 1930-2 LAC C-40- 968B CLASSE A  
PR 1930-2 TH 5.956/1/4  
PRO-SEAL 895 B 2 STM 40-006 TYPE I  
PS 860 B 1/6 MIL-S-83318A CLASSE B 1/6  
PS 860 B 1/6 TESTE AMS-S-83318 CL B1/6  
Product to Specification Guide 5

# AEROSPACE SPECIFICATION - Product to Specification

## PRODUCTS SPECIFICATIONS

PS 870 A 1/2 TESTE MIL-PRF-81733D  
PS 870 A 2 STM 40-111F CLASSE A 2  
PS 870 A 2 TESTE MIL-PRF-81733D  
PS 870 B 1/2 BMS 5-95K TYPE I CL B 1/2  
PS 870 B 1/2 TESTE MIL-PRF-81733D  
PS 870 B 2 BMS 5-95K TYPE I CL B 2  
PS 870 B 2 STM 40-111F CLASSE B 2  
PS 870 B 2 TESTE MIL-PRF-81733D  
PS 870 B 4 TESTE MIL-PRF-81733D  
PS 870 C 12/20 BMS 5-95K TYPE I CL C-20  
PS 870 C 12/20 TESTE MIL-PRF-81733D  
PS 870 C 24/80 BMS 5-95K TYPE I CL C-80  
PS 870 C 24/80 TESTE MIL-PRF-81733D  
PS 870 C 48/168 BMS 5-95K TYPE I CL C-168  
PS 870 C 48/168 TESTE MIL-PRF-81733D  
PS 870 C 96/336 BMS 5-95K TYPE I CL C-336  
PS 875 B 1/2 BMS 5-142/C B1/2  
PS 875 B 2 BMS 5-142/C B 2  
PS 875 B 2 TESTE SELON STM 40-107E  
PS 890 A 2 199-05-004 TYPE II CLA 2  
PS 890 A 2 BMS 5-45 / B CLA2 GR1  
PS 890 A 2 TESTE AMS-S-8802 CL A2  
PS 890 B 1/2 199-05-004 TYPE II CLB1/2  
PS 890 B 1/2 BMS 5-44L CLASSE B1/2  
PS 890 B 1/2 TESTE AMS-S-8802 CL B 1/2  
PS 890 B 2 199-05-004 TYPE II CL B2  
PS 890 B 2 BMS 5-44L CLASSE B2  
PS 890 B 2 TESTE AMS-S-8802 CL B 2  
PS 890 B 4 MIL-S-8802F TYPE II B4  
PS 890 C 20 MIL-S-8802F TYPE II C 20  
PS 890 C 80 MIL-S- 8802F TYPE II C80  
PS 892 C 12 75-T-2-5202-1-1/4/05.98  
PS 892 C 12 AIMS 04-05-002/IPS 04-05-  
PS 892 C 2 75-T-2-5202-1-1/2/05.98  
PS 892 C 24 AIMS 04-05-002/IPS 04-05-  
PS 892 C 3 75-T-2-5202-1-1/3/05.98  
PS 892 C 48 75-T-2-5202-1-1/5/05.98  
PS 892 C 48 AIMS 04-05-002/IPS 04-05-  
PS 892 C 70 75-T-2-5202-1-1/6/05.98  
RTV 0730 ASNA4292/B  
RTV 0732/DC 1200 BLGE551201-B  
RTV 3145 MIL-A-46146/B  
SILASTIC E MBDA 100S310-00-0C